


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	12/12/2016	DPD	JAG





NOTE:
REF. EUROCOPTER T/N: AMM 02-00-00 2-6.

DART AEROSPACE																													
TITLE FLANGE PULLER FOR MAIN TRANSMISSION																													
DWG NO. RBEAMM 02-00-00 2-6	REV 1																												
<table border="1"> <tr> <td>MAT'L</td> <td>UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td>HEAT TREAT</td> <td>DIMENSIONS ARE IN INCHES</td> </tr> <tr> <td>FINISH</td> <td>.XXX ± .005 FRACTIONS ± 1/8</td> </tr> <tr> <td>SPEC</td> <td>.XX ± .01 ANGLES ± .5°</td> </tr> <tr> <td></td> <td>.X ± .1 SURFACES = 125°</td> </tr> <tr> <td>DRAWN BY: DUERFELDT</td> <td>1. BREAK ALL SHARP EDGES</td> </tr> <tr> <td>CHECKED: MACKOVJAK</td> <td>.015 x 45° OR .015R</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> <td>2. DIMENSIONAL LIMITS APPLY</td> </tr> <tr> <td>QA APPR: LINDSAY</td> <td>AFTER PLATING</td> </tr> <tr> <td>APPROVED: GILBERT</td> <td>3. INTERPRET DIM AND TOL PER</td> </tr> <tr> <td></td> <td>ASME Y14.5M-2009</td> </tr> <tr> <td>SCALE 1:5</td> <td>DATE 7/11/2016</td> </tr> <tr> <td></td> <td>USED ON MODEL EC145</td> </tr> <tr> <td></td> <td>SHEET 1 OF 5</td> </tr> </table>		MAT'L	UNLESS OTHERWISE SPECIFIED	HEAT TREAT	DIMENSIONS ARE IN INCHES	FINISH	.XXX ± .005 FRACTIONS ± 1/8	SPEC	.XX ± .01 ANGLES ± .5°		.X ± .1 SURFACES = 125°	DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES	CHECKED: MACKOVJAK	.015 x 45° OR .015R	OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY	QA APPR: LINDSAY	AFTER PLATING	APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER		ASME Y14.5M-2009	SCALE 1:5	DATE 7/11/2016		USED ON MODEL EC145		SHEET 1 OF 5
MAT'L	UNLESS OTHERWISE SPECIFIED																												
HEAT TREAT	DIMENSIONS ARE IN INCHES																												
FINISH	.XXX ± .005 FRACTIONS ± 1/8																												
SPEC	.XX ± .01 ANGLES ± .5°																												
	.X ± .1 SURFACES = 125°																												
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES																												
CHECKED: MACKOVJAK	.015 x 45° OR .015R																												
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY																												
QA APPR: LINDSAY	AFTER PLATING																												
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER																												
	ASME Y14.5M-2009																												
SCALE 1:5	DATE 7/11/2016																												
	USED ON MODEL EC145																												
	SHEET 1 OF 5																												

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-1	1	PULLER WELDMENT			2
	1		-3		PLATE	4140/4142		3
	1		-5		THREADED ROD	4140/4142		4
			-7	1	SLIDE	4140/4142		5
		B/O	-9	1	FLANGE NUT	STEEL	M12 X 1.75 (MCMASTER-CARR #95003A104)	1
		B/O	-11	1	HEX NUT	STEEL	M12 X 1.75 (MCMASTER-CARR #90591A181)	1
	ASSY -1							

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-1)

PULLER WELDMENT

DART AEROSPACE	
TITLE FLANGE PULLER FOR MAIN TRANSMISSION	
DWG NO. RBEAMM 02-00-00 2-6-1	REV
MAT'L	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .010 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .03 ANGLES ± 1°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125/
CHECKED: MACKOVJAK	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
SCALE 1:2	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 7/11/2016	USED ON MODEL
	EC145
	SHEET 2 OF 5

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-3)
PLATE

DART AEROSPACE	
TITLE FLANGE PULLER FOR MAIN TRANSMISSION	
DWG NO. RBEAMM 02-00-00 2-6-3	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT RC 28-34	DIMENSIONS ARE IN INCHES
FINISH SEE -1	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± 5°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: MACKOVJAK	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE 1:2	DATE 7/11/2016
	SHEET 3 OF 5

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(5)
THREADED ROD

DART AEROSPACE	
TITLE: FLANGE PULLER FOR MAIN TRANSMISSION	
DWG NO. RBEAMM 02-00-00 2-6-5	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
TREAT RC 28-34	DIMENSIONS ARE IN INCHES
FINISH SEE -1	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± .5°
	.X ± .1 SURFACES = 125
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: MACKOVJAK	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 1:1	DATE 7/11/2016
	SHEET 4 OF 5

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



(-7)
SLIDE

DART AEROSPACE	
TITLE: FLANGE PULLER FOR MAIN TRANSMISSION	
DWG NO. RBEAMM 02-00-00 2-6-7	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT RC 28-34	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± 5°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125
CHECKED: MACKOVJAK	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
SCALE 1:2	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 7/11/2016	USED ON MODEL
	EC145
	SHEET 5 OF 5